



Point Spring & Driveshaft Co.

Since 1926

PARTS • SERVICE • EXPERIENCE • SOLUTIONS

Truck-Lite®

LED HEADLIGHTS



CMVSS 108
FMVSS 108



- **Color & Visibility** - Truck-Lite LED headlights provide a crisp, bright white light closer to the color of daylight. This, combined with their wide, even beam pattern makes for a safer, more enjoyable driving experience. See more. Go further.
- **Strength & Durability** - Built using aluminum housings, polycarbonate lenses, solid-state technology and military-grade components, Truck-Lite LED headlights keep on shining bright through the toughest conditions.
- **Energy Efficient** - Truck-Lite LED headlights draw less power than halogen headlights while still offering increased visibility. This energy savings translates to more power for other vehicle requirements.
- **Lower Maintenance Costs** - Fewer replacements = more savings, and with Truck-Lite's LED solid-state technology, you won't find yourself in constant need of bulbs and filaments. LED systems have the lowest maintenance cost of any lighting technology.
- **Made in USA** - All Truck-Lite LED headlights are proudly made right here in the USA using the highest quality materials and processes inside their state-of-the-art facilities.

TRUCK-LITE LED

HALOGEN



27270C	7" Round LED Headlight	12V – 24V	1.45A – 2.95A	\$242.99
27640C	4" x 6" Low Beam, LED Headlight	12V – 24V	0.75A – 12A	\$163.99
27645C	4" x 6" High Beam, LED Headlight	12V – 24V	0.75A – 12A	\$163.99
27450C	5" x 7" LED Headlight	12V – 24V	1.45A – 2.95A	\$242.99

Due to market conditions relating to COVID-19, all prices are subject to change without notice.

www.pointspring.com

Promotional pricing valid through March 30, 2023

Brake Repair Parts

Meritor Slack Adjusters

Part Number	Cam Diameter/ Spline Count	Arm Length	PRICE
R803110	1.50" - 28 Spline	5.5"	\$92.99
R803112	1.50" - 28 Spline	6"	\$92.99
R803048	1.50" - 28 Spline	5.5"	\$87.99
R803049	1.50" - 28 Spline	5.5"	\$87.99
R803054	1.50" - 28 Spline	6"	\$87.99
R803055	1.50" - 28 Spline	6"	\$87.99
R803195	1.50" - 10 Spline	5.5"	\$87.99
R803106	1.50" - 10 Spline	6"	\$87.99




RSL110500



RSL110580



RSL110800



RSL21600



RSL110415

Sealco Valves

Part Number	Euclid No.	New/Reman	Replaces	Core No.	Core Group	Application And General Information	PRICE
RSL110500	E-SL110500	New	Sealco 110500	XC1200	5.5"	For use on a typical single or tandem axle trailer with a single reservoir or a tandem axle trailer with (2) 1400 cubic inch (normal) reservoirs.	\$64.99
RSL110580	E-SL110580	New	Sealco 110580			Includes mounting bracket	\$99.99
RSL110800	E-SL110800	New	Sealco 110800			For use on a typical single or tandem axle trailer with a single reservoir or a tandem axle trailer with (2) 1400 cubic inch (normal) reservoirs.	\$89.99
RSL21600	E-SL21600	New	Sealco 21600			Includes Truck Tractor Protection dash cover plate	\$37.99

Part Number	Euclid No.	New/Reman	Replaces	Crack Pressure	Application And General Information	PRICE
RSL110415	E-SL110415	6"	Sealco 110415	4.0 psi	(1 swivel) 3/8" PT control port. (1) 3/4" PT supply port. (4) 3/8" PT delivery ports. LOV-4 = Low opening valve for tandem axle applications. Nipple mount design. Nipple not included, use E-SL6003 or E-SL6006, E-SL110395 frame bracket included.	\$88.99

Due to market conditions relating to COVID-19, all prices are subject to change without notice.



Brake Repair Parts



Brake Hardware Kits

Part Number	Description	PRICE
E-4515QHD-N	Meritor Q+, Hendrickson, Meritor And Spicer (Dana) 16-1/2 Brakes	\$9.49
E-4709ES2-N	Eaton 16-1/2 ES-II Extended Service Brakes	\$7.99
E-9644	Front Axle Universal 16-1/2 Quick Change Series Brakes	\$20.99
E-9064	Meritor 15 Q Plus Front Brakes	\$13.99
E-10756	Spicer (Dana) 12-1/4 Brakes With Fabricated Shoes	\$17.99
E-10875	Dexter 12-1/4 PQ Brakes	\$20.99

Camshafts

Left Hand Part Number	Right Hand Part Number	Description	PRICE
E-11866	E-11867	Hendrickson 16-1/2" Intraax brakes for trailer axles with 28 splines	\$31.99
E-5510	E-5511	Meritor 16-1/2" Q+ brakes for trailer axles with 28 splines	\$27.99
E-9661	E-9662	Meritor 16-1/2" Q+ brakes for drive axles with 28 splines	\$34.99
E-9735	E-9736	Dana-Spicer 16-1/2" XL brakes for trailer axles with 28 splines	\$34.99
E-10909	E-10910	Dana-Spicer 16-1/2" XL brakes for trailer axles with 28 splines	\$35.99

Camshaft Repair Kits

Part Number	Description	PRICE
E-11897	Hendrickson 16-1/2" Intraax brakes for trailer axles	\$32.99
E-9079HD	Meritor 16-1/2" Q+ brakes for trailer axles; Axle kit (2 wheel-ends)	\$61.99
E-11450HD	Hendrickson 16-1/2" Intraax brakes for trailer axles	\$58.99
E-9078HD	Meritor 16-1/2" Q+ brakes for trailer axles	\$30.99

Due to market conditions relating to COVID-19, all prices are subject to change without notice.



Point Spring & Driveshaft Co.
Since 1926

OUR GOLDTOP FAN CLUTCHES PACK 5,000 Inch-Pounds of Torque!



Innovative design that will
AUTOMATICALLY LOCK UP
fan clutches when the friction
material nears the end of its life.



On/Off GoldTop®

- Highest torque rating
- Higher quality internal components
- Lower cost

GoldTop
by Kit Masters

2-Speed GoldTop®

- Reduces the frequency of fan clutch engagements
- Horsepower Savings
- Improved Fuel Economy
- Longer Fan Clutch Life



REMANUFACTURED FAN CLUTCHES

All Kit Masters remans have a 3 year / 300,000 Mile Warranty



S & HT/S Style

- U.S. Components
- Two bearing hub design
- Superior (Viton®) o-rings
- SKF angular contact bearings
- Higher quality lining

KIT MASTERS
KMU
UNIVERSITY

To learn more about
everything fan clutch



Due to market conditions relating to COVID-19, all prices are subject to change without notice.



Point Spring & Driveshaft Co.


Since 1926

MOST POPULAR FAN CLUTCHES - IN STOCK NOW!

All Makes & Models Available

Part #91014
9.5" Friction Plate


Caterpillar-3406
2" Fan Pilot



\$864.99

Part #91024
9.5" Friction Plate


Detroit Diesel-Series 60
2" Fan Pilot



\$864.99

Part #91027
9.5" Friction Plate


Caterpillar-3406
2" Fan Pilot



\$864.99

Part #99897


Cummins-ISX



\$732.99

Part #99142


Mercedes-MBE4000



\$732.99

Part #99188


Cummins-ISX



\$732.99


Part #99223

Detroit Diesel-Series 60




\$732.99

Part #99334 Caterpillar-C15 ACERT, C16 ACERT



\$732.99


Part #99346 Caterpillar-C15 ACERT, C16 ACERT



\$732.99

Part #99589-2


Cummins-ISX 15



\$1058.99

Part #99782-2


Cummins-ISX 15



\$1058.99

Part #99809

Caterpillar-C15



\$732.99

Due to market conditions relating to COVID-19, all prices are subject to change without notice.



Point Spring & Driveshaft Co.
Since 1926



TAKE ADVANTAGE OF STEMCO'S

FLEET CONVERSION PROGRAM

If your fleet or repair shop has seal inventory that is not applicable to your current needs, Stemco will clean up your old inventory and replace it with new products that match your current needs.

All conversions must be approved by a Stemco Fleet Sales Manager. Ask any Point Spring associate for more information.



Discover®

High-Performance, Long Life

Discover® is the industry choice for performance-driven fleet managers.



GRITGUARD®

Rugged and Durable

Grit Guard® endures where others fail and is the choice for fleets working in grueling environments.



**Guardian®
HP**

American Trailer Standard, Long Life

The Guardian® HP is the standard seal for trailer and axle original equipment manufacturers.



Voyager®

Unitized and Durable

The Voyager® seal is designed for regional route trucks, city delivery and coach applications.



Due to market conditions relating to COVID-19, all prices are subject to change without notice.





GATES® MXT-XTP

A SOLUTION FOR YOUR ABRASIVE AND HIGH UV EXPOSURE APPLICATIONS.

PERFORMANCE ABOVE INDUSTRY SPECIFICATIONS

- MXT-XTP meets 600,000 impulse cycles in all sizes
- Increased minimum bend radius (compared to SAE 100R2 competitive products)

IMPROVED ERGONOMICS + HANDLING

- More flexible with up to 40% lower force-to-bend for faster and more ergonomic installation
- Up to 30% lighter weight for easier handling

LOWERS OVERALL EQUIPMENT WEIGHT

- Lighter weight for easier handling
- Up to 11-pound weight reduction for every 100ft of conventional 2-wire hose

SIMPLE INTEGRATION INTO THE GATES MEGASYS SYSTEM

- Consolidate inventory with a universal, multi-use hose
- 100R16, 100R2, 100R17 (through -12) and 100R19 (through -8)
- Compatible with MegaCrimp Couplings and Gates Crimpers



FEATURES + BENEFITS:

- More resistant to UV and ozone damage
- 25X more abrasion resistant
- 40% lower force-to-bend radius
- 30% lighter weight
- Tested to 3X impulse criteria (600,000 cycles)
- Compatible with MegaCrimp™ Couplings and Gates Crimpers
- Also we offer fittings for the gates hoses provided

MXT Hoses

Description	Part	ID (In)	OD (In)	WP (PSI)	Burst (PSI)	MBR (In)	Weight (Lbs)
4MXT-XTPxReel	70382	1/4	.550	6,000	24,000	1.5	0.20
6MXT-XTPxReel	70348	3/8	.675	4,800	19,200	2.5	0.26
8MXT-XTPxReel	70283	1/2	.795	4,000	16,000	2.8	0.31
10MXT-XTPxReel	70289	5/8	.945	3,625	14,500	3.9	0.38
12MXT-XTPxReel	70327	3/4	1.08	3,125	12,500	4.8	0.47
16MXT-XTPxReel	70335	1	1.380	2,400	9,600	6.0	0.67



MXT Hoses

Description	Part	CL (In)	HID (In)	Wp (PSI)	Temp	Weight (Lbs)
2-Ply Straight Coolant Hose	24240	36	2.5	60	-40°F to +257°F	2.79
2-Ply Straight Coolant Hose	24248	36	3	25	-40°F to +257°F	3.3
Silicone Heater Hose	26241	300	.625	60	-65°F to +350°F	6.67
Silicone Heater Hose	26242	300	.75	50	-65°F to +350°F	7.72
GS Heavy-Duty Heater Hose	28441	600	.625	95	-40°F to +257°F	14.34
GS Heavy-Duty Heater Hose	28442	600	.75	80	-40°F to +257°F	16.43



Due to market conditions relating to COVID-19, all prices are subject to change without notice.



Point Spring & Driveshaft Co.
Since 1926

Light Duty Leaf Springs for Your Pickup Truck

Covering **ALL APPLICATIONS** for
Chevrolet, Dodge, Ford, GMC,
Jeep, Nissan and Toyota



Light Duty Leaf Spring
Solution Provider
Since 1922



22-1221



43-1263

- **Broad Coverage** - Including **Shackles, Hangers and U-Bolts**
*Coated from the elements for durability and corrosion protection



Point Spring offers custom U-Bolt bending at most locations

- **Durability** - Manufactured from high quality steel
- **Rust and Corrosion** - Special coating applied to springs
- **Proper Fit** - Designed to OEM specifications for ease and fit

Application	Standard Spring Part No.	HD Spring Part No.	Shackle Part No.
Chevrolet Silverado/GMC Sierra 2500HD; 1999 - 2010	22-1269	22-1269HD	330-181
Chevrolet Silverado/GMC Sierra 1999 - 2006	22-1221	N/A	330-360
Chevrolet Silverado/GMC Sierra 2007 - 2013	22-1567	N/A	330-360
Dodge Ram 1500 2002 - 2008	34-1451	34-1451HD	330-385
Dodge Ram 2500 and 3500; 2003 - 2009	N/A	34-1465HD	330-386
Ford F150; 2004 - 2008	43-1555	N/A	330-417
Ford Super Duty - Front; F250 - F550	43-818	N/A	330-414
Ford Super Duty - Rear; Through 2007; F250 - F350	43-1263	43-1263HD	330-364A
Ford Super Duty - Rear; Through 2007; F250 - F350	43-1261	43-1261HD	330-364A
Ford Super Duty - Rear; 2008-2016; F250 - F450	43-1705	N/A	330-364A
Ford Super Duty Chassis Cab - Rear; Through 2016; F450 - F550	N/A	43-1289HD	330-364A
Ford Super Duty Chassis Cab - Rear; Through 2016; F450 - F550	N/A	43-1747HD	330-364A

Due to market conditions relating to COVID-19, all prices are subject to change without notice.



AMERICAN FORGE & FOUNDRY

3.5 TON PROFESSIONAL HEAVY DUTY FLOOR JACK MODEL 350SS **\$539.99**

- Twin hydraulic system maximizes speed and provides additional strength.
- Universal joint technology and precision release valve offers a more controlled release.
- Tough UV powder coated frame for greater protection and durability.
- Pinned steel saddle with rubber pad for added protection and durability.
- Rear mounted 2.75" swivel casters for ease of maneuverability.
- One piece foam covered 50" handle.
- Features safety valve prevent overloading.



Model	Capacity (Tons)	Low Height	High Height	Chassis Length	Overall Width (front)	Overall Width (rear)	Ship Weight
350SS	3 1/2"	4"	19.5"	29"	11.25"	15"	119lbs

5 TON CAPACITY HEAVY DUTY AIR/ HYDRAULIC LONG CHASSIS JACK MODEL 3125 **\$1489.99**

- Operates at 115-200 PSI / 7.8 cubic feet per minute.
- Heavy duty pumps, rams, and cylinders are precision machined and inspected to ensure long service life and superior performance.
- Super long 56" body for easier lifting of vehicles with long overhangs.
- Foot operated pump for quick lifting efficiency.
- Handle mounted locking control lever has 3 positions for better versatility in under car positioning.
- Automatic overload safety valves for added safety.



Air Assist

Model	Capacity (Tons)	Low Height	High Height	Chassis Length	Overall Width (front)	Overall Width (rear)	Ship Weight
3125	5	6"	22.5"	56"	11.5"	15"	273lbs

10 TON CAPACITY HEAVY DUTY AIR/HYDRAULIC LONG CHASSIS JACK MODEL 3135 **\$1902.99**

- Operates at 115-200 PSI / 7.8 cubic feet per minute.
- Heavy duty pumps, rams, and cylinders are precision machined and inspected to ensure long service life and superior performance.
- Super long 61" body to easier lifting of vehicles with long overhangs.
- Foot operated pump for quick lifting efficiency.
- Handle mounted locking control lever has 3 positions for better versatility in under car positioning.
- Automatic overload safety valves for added safety.



Air Assist

Model	Capacity (Tons)	Low Height	High Height	Chassis Length	Overall Width (front)	Overall Width (rear)	Ship Weight
3135	10	7"	23"	61"	13"	18"	387lbs

SUPER DUTY CREEPER XL **\$199.99** MODEL 3909

- 47" total length and 440 total lbs. capacity.
- Constructed with high density polyethylene to prevent warpage in any climate.
- Urethane wheels provide added corrosion resistance.
- Build with magnetic trays to keep tools and parts within reach.
- "Breathing holes" for added ventilation and comfort.
- Easy to clean surface is resistant to solvents and grease.
- Total dimensions 47.00"L x 23.60"W.



20 TON SUPER DUTY AIR ASSIST BOTTLE JACK **\$442.99** MODEL 5620SD

- Welded tank and frame – for stronger performance in rough service conditions and in the case of off-center loading.
- 1/8" thick base – provides stable lifting platform, on poor surfaces.
- High strength steel ram and cylinder supported by a longer ram guide – better safety in off-center load conditions.
- Internal release screw is heavy duty internal release screw is protected by base design to avoid accidental release/damage.
- Proven air motor – quality tested, and field tested to ensure consistent, reliable operation.
- Can be operated by either air or manually; handle included; hose swivels for ease of operation; ASME 2009 compliant.



SUPER DUTY BOTTLE JACKS

\$73.99



\$98.99



\$168.99



Model	Capacity (Tons)	Type	Low Height	High Height	Base	Screw Ext
3608	8	Manual	9.10"	18.10"	6.18" x 3.86"	2.75"
3612	12	Manual	9.10"	18.30"	6.81" x 4.69"	2.75"
3620	20	Manual	9.50"	17.90"	7.60" x 5.67"	2.25"

BULK GREASE FILLER PUMP **\$69.99** MODEL 8050

- Fill grease guns through a bulk loader valve or with a bearing packer.
- Fits 5-gallon (25-50 lb.) pails.
- 11 1/8" rubber-lined follower plate.
- Ship weight 5 lbs.



3-TON MODEL 3303A **\$66.99**



6-TON MODEL 3306A **\$126.99**



12-TON MODEL 3312C **\$259.99**



RATCHET-TYPE SAFETY STANDS WITH DOUBLE-LOCKING MECHANISM

- Used and sold in pairs for supporting automotive vehicles after lifting.
- Ductile iron support column with ratchet teeth provides multiple height positions.
- Double locking mechanism with both handle lock and mobility pin for increased safety.
- Notched saddles for use with unitized body vehicles
- Welded foot pads resist sinking into soft ground or asphalt.
- Meets ASME PASE 2019 Safety Standards.

Due to market conditions relating to COVID-19, all prices are subject to change without notice.



Point Spring & Driveshaft Co.
Since 1926



2" Long-Wide Handle Ratchet Buckle Straps

Part #	Description	Length	WLL	Price
DC23400227	W/ Flat Hooks	27 ft	3,333 lbs	\$20.99
DC23400230	W/ Flat Hooks	30 ft	3,333 lbs	\$22.49
DC23402227	W/ Wire Hooks	27 ft	3,333 lbs	\$21.49
DC23403230	W/ Chain Anchors	30 ft	3,333 lbs	\$73.99



Standard 4" Winch Straps

Part #	Description	Length	WLL	Price
DC23104430	W/ Flat Hooks	30 ft	5,400 lbs	\$18.49
DC23104440	W/ Flat Hooks	40 ft	5,400 lbs	\$29.49



Roll-On / Roll-Off Container Strap

Part #	Description	WLL	Price
DC23104405	4" x 5-ft W/ Container Hook	5,400 lbs	\$15.99



Mini Ratchet Strap

Part #	Description	Size	WLL	Price
DC38000010	W/D-Rings and Wire Hooks	1"x 16'	1,000 lbs	\$12.99



Series E 2" Ratchet Buckle Straps with Spring End Fittings

Part #	Description	Length	WLL	Price
DC33500716	Grey Webbing	16 ft	1,333 lbs	\$12.49



Sliding Winches

Part #	Description	WLL	Price
DC28100010	Storable C Track Slider	6,000 lbs	\$36.99
DC28100033	Standard Double L Track Slider	5,500 lbs	\$33.99




Grade 70 Ratchet Load Binders

Part #	Accepted Chain:	WLL	Price
DC23503802	3/8" – 1/2"	9,200 lbs.	\$45.99




Winch Bars

Part #	Description	Price
DC28200003	Standard Chrome	\$21.99



Corner Protectors

Part #	Description	Price
DC23300005	High Density Polymer	\$1.99
DC23300006	Steel	\$8.99



Flags

Part #	Description	Size	Price
DC28000004	PVC coated Orange Flag and Wooden Dowel	18"x 18"	\$4.99



Rubber Rope and Hooks

Part #	Description	Length/Quantity	Price
DC28630001	3/8" Solid Core Rubber Rope	200' Roll	\$199.99
DC28630003	Rubber Rope Hooks	2 Pieces	\$2.49



Transport Chains

Part #	Description	Size	Chains/ barrel	WLL	Price
DC23503820Q	Chain Assemblies w/ Clevis Hooks	3/8" x 20'	10	6,600 lbs	\$80.99
DC23503804	Clevis Hooks	3/8"	N/A	6,600 lbs	\$5.99

Due to market conditions relating to COVID-19, all prices are subject to change without notice.



Exhaust Replacement Parts



MUFFLERS

Part No.	Description	Price
M-465	Type 1, 10" x 44.5", 5" ID/ID	\$109.99
M-087	Type 1, 11" x 36", 4" ID/ID	\$244.99
M-536	Type 2, 8.25" x 11.5" x 32" 3.5" - 4" ID/ID	\$181.99
M-514	Type 1, 9" x 44.5", 4" - 5" ID/ID	\$181.99
M-145	Type 1, 9" x 44.5", 5" ID/ID	\$121.99
M-595	Type 1, 9" x 44.5", 5" ID/ID	\$147.99


CLAMPS

Preformed



Part No.	Diameter	Price
PF-3SS	3"	\$13.49
PF-35SS	3.5"	\$13.99
PF-4SS	4"	\$14.49
PF-5SS	5"	\$15.49

Band



Part No.	Diameter	Price
EZ-3SS	3"	\$12.49
EZ-35SS	3.5"	\$12.99
EZ-4SS	4"	\$12.99
EZ-5SS	5"	\$14.49

Saddle



Part No.	Diameter	Price
HD-3ZN	3"	\$7.99
HD-35ZN	3.5"	\$7.99
HD-4ZN	4"	\$7.49
HD-5ZN	5"	\$8.49

FLEX PIPE



Part No.	Diameter	Price
S49-4300	FLEX, 4" (Price per Foot)	\$17.99
S49-5300	FLEX, 5" (Price per Foot)	\$23.99



STRAIGHT PIPES

Part No.	Description	Price
S3-120SBA	Tube , 3" (Price per Foot)	\$7.99
S35-120SBA	Tube , 3.5" (Price per Foot)	\$9.99
S4-120SBA	Tube, 4" (Price per Foot)	\$11.49
S5-120SBA	Tube, 5" (Price per Foot)	\$14.99



ELBOWS

Part No.	Description	Price
L490-1212A	4" 90DEG 12 x 12 ID/OD	\$41.99
L490-0808A	4" 90DEG 08 x 08 ID/OD	\$42.99
L590-1010A	5" 90DEG 10 x 10 ID/OD	\$46.99
L590-1212A	5" 90DEG, 12 x 12 ID/OD	\$46.99
L590-1515A	5" 90DEG, 15 x 15 ID/OD	\$49.49
L590-1818A	5" 90DEG, 18 x 18 ID/OD	\$46.99
L545-0808A	5" 45DEG 08 x 08 ID/OD	\$49.49

Due to market conditions relating to COVID-19, all prices are subject to change without notice.



Point Spring & Driveshaft Co.
Since 1926

Heavy Duty Diesel Particulate Filters & Diesel Oxidation Catalysts

DENSO has recently expanded our part number coverage, offering 162 part numbers featuring over 98% coverage for Diesel Particulate Filters and offer better than 80% for Diesel Oxidation Catalysts. PowerEdge's line of diesel particulate filters and diesel oxidation catalysts combine strengthened designs with upgraded materials.

All POWEREDGE DPF'S and DOC'S use OEM grade substrates that meet or exceed DENSO quality specifications.

All units are **100%** brand new and include all gaskets and clamps. No core ever required.

POWEREDGE DPF'S & DOC'S can reduce active regens by as much as **14%** which results in fuel savings for the fleets.



OEM-Style Fit for Quick Installation

To get your equipment back to work quickly, all PowerEdge aftertreatment products fit just like OEM units, meet or exceed OEM emissions requirements, and are fully supported by our field application specialists.

Features and Benefits:

- Exact-fit OEM replacement units come complete with installation gaskets and clamps.
- Stringently tested for durability and OEM functionality.
- High-grade stainless steel canisters improve durability and resist corrosion.
- Advanced filter coating and substrates reduce active regeneration.
- Tested to reduce backpressure and enhance performance.
- Improved thermal stability and efficiency.
- Compliant with emissions requirements for 2007 and newer model years.
- Approved for horizontal, vertical and dual installations.
- Nationwide technical / installation support.
- **Backed by a three-year/unlimited mileage warranty.**

Promotional pricing valid through Sept. 30, 2023

POINT SPRING & DRIVESHAFT CO. LOCATIONS

NEVILLE ISLAND, PA
7309 Grand Avenue
Neville Island, PA 15225
Ph: 412-264-6714
Fx: 412-264-6722
(800) 837-4713

NEW CASTLE, PA
1001 Harbor Street
New Castle, PA 16101
Ph: 724-658-9076
Fx: 724-658-8746
(800) 837-8713

TROY, PA
68 Canton Street
Troy, PA 16947
Ph: 570-297-5555
Fx: 570-297-5510
(855) 297-6380

SARVER, PA
555 North Pike Road
Sarver, PA 16055
Ph: 724-352-3340
Fx: 724-352-5311

INDIANA, PA
1849 South Sixth
Street Suite 5
Indiana, PA 15701
Ph: 724-463-3710

GREENSBURG, PA
1967 Route 66
Greensburg, PA 15601
Ph: 724-834-0750
Fx: 724-834-8747
(800) 837-9713

MEADVILLE, PA
11377 Mercer Pike
Meadville, PA 16335
Ph: 814-724-7746
Fx: 814-724-7747
(800) 724-7751

CLEARFIELD, PA
1729 Industrial Park Rd.
P.O. Box 1206
Clearfield, PA 16830
Ph: 814-765-9684
Fx: 814-765-1577
(800) 252-3585

FAIRMONT, WV
274 Van Kirk Drive
Fairmont, WV 26554
Ph: 304-534-3306
Fx: 304-534-5079
(800) 837-1713

AKRON, OH
1250 Triplett Blvd.
Akron, OH 44306
Ph: 330-724-1111
Fx: 330-724-1895
(800) 826-0673



**Point Spring &
Driveshaft Co.**
Since 1926

follow us on social media



Point Spring &
Driveshaft Co.



@Pointspring1926