

# PARTS · SERVICE · EXPERIENCE · SOLUTIONS





Output - USB1 5V/2.4A; USB2 & USB-C 5V/3A; 9V/2A; 12V/1.5A; ACC 12V/10A

Crank Current of 1200A at 12V; 1000A at 24V

Peak Current of 2400A at 12V; 2000A at 24V

AC Wall Charger and 12V Vehicle Charger

1300 lm LED Light

4GA 43in Cables

Part Number	Description	Price
178.3118	Jump Starter 12/24	\$528.99

# www.pointspring.com

Promotional pricing valid through 6/30/2025



# A LEADER IN BRAKE DEVELOPMENT SINCE 1924

HIGH QUALITY BRAKE PARTS THROUGH ENGINEERING
AND MANUFACTURING.



Part Number	Description	Price
NT3030ELS-80	Long stroke 3030 Complete Threaded Rod	\$71.99
NT3030ELS-KIT	Long stroke 3030 Piggy Back Kit	\$67.99
NT3030ELS-WC	Long stroke 3030 Complete With Welded Clevis	\$80.99
NT3030STD-120	Standard 3030 Complete Long Threaded Rod	\$78.99
NT3030STD-78	Standard 3030 Complete Threaded Rod	\$59.99
NT3030STD-KIT	Standard 3030 Piggy Back Kit	\$56.99
NT3030STD-WC	Standard 3030 Complete With Welded Clevis	\$77.99





# **NEW Core Free Transmissions**



- NEW Transmission with NO Core Charge
- 100% Genuine Eaton Content
- 100% Dyno Tested
- Ideal for Upgrades or Major Failures

Part Number	Description
RTLO18913A-PCF	Outright New 13 Speed Transmission
RTLO18918B-PCF	Outright New 18 Speed Transmission

# TruckKraft Transmissions are backed by a 2 Year Unlimited Mileage Warranty\*

\*Warranted to the original purchaser against defects in materials and workmanship when used under normal operating conditions for 24 months from the date of installation. For technical & warranty information, call our team of technical advisors at 800-843-6452.





# Full Drivetrain System Solution for Engine Downspeeding.

#### **PROBLEM**

"I know that engine downspeeding is important for fuel economy and adhering to greenhouse gas standards, so I need a driveshaft that can stand up to the related higher torque stresses."

#### SOLUTION

SPL<sup>®</sup> 350 driveshafts are the most robust, heavy-duty driveshafts in their class, with High Power Density™ (HPD™) design features, and up to a million miles of life expectancy in a downsped engine powertrain.

As fuel economy and greenhouse gas standards become more stringent, the need for engine downspeeding is becoming increasingly important. Running an engine at lower RPMs, however, can generate significantly higher torque stresses in your vehicle's drivetrain. That's where the SPL® 350 driveshaft comes

Together with the <u>AdvanTEK 40 tandem axle</u>, SPL 350 driveshafts are part of an overall powertrain solution that lets you achieve the downspeeding you're looking for without sacrificing efficiency or placing additional stress on your drivetrain.



### The SPL 350 driveshaft:

- Withstands the increased stresses that engine downspeeding can place on high-efficiency onhighway trucks.
- Offers the same original-equipment quality you have come to expect from Dana-backed Spicer products.

Get an innovative solution that eliminates restrictions on engine speeds and torque and supports the fastest axle ratios in today's vehicles.

"Point Spring & Driveshaft Co. is now stocking components to service Spicer's SPL350 Series Driveline"







Sensors are rigorously benchmarked against original equipment standards using advanced in-house test equipment.

These tests ensure that our sensors communicate NOx levels with the same speed and accuracy as the original equipment for seamless replacement. The tests also evaluate heater response time to make sure our sensors are up to temperature and ready to communicate NOx data to the ECM.

When you choose a replacement sensor from Dayton Parts, you're installing a heavy-duty solution backed by real-world data you can trust for the long haul. **Extensively tested -** In-house analysis ensures performance of Dayton NOx sensors in real-world use

**Precision calibration - E**ngineered and calibrated with proprietary software to help ensure proper function of complex emissions control systems


**Fast heater response -** Dayton NOx sensors rapidly reach operating temperature to communicate NOx data to ECM

**Seamless installation -** Designed to match the fit and function of the OE for hassle-free repairs

Part Number	er Description		Price
904-600	Nitrogen Oxide Exhaust Sensor	Cummins - 2872949 / 2872949NX / 2897314 / 2897314NX / 4326475 / 4326475NX / 4326867 / 4326867RX	\$309.99
904-6006	Nitrogen Oxide Sensor Outlet of Diesel Particulate Filter	Cummins - 2872947 / 2872947NX / 4326869 / 4326869RX Paccar - 1954666 / 954666PE / 1954666PRX	\$309.99
904-6011	Nitrogen Oxide Sensor Inlet of Diesel Particulate Filter	Cummins - 2872779 / 2872779NX / 2872948 / 2872948NX / 2897311 / 326873RX / 4326476 / 4326476NX / 4326873 / 4326873RX / 5295473 / 5295473RX Caterpillar - 5499316	\$309.99
904-6017	Nitrogen Oxide Sensor Inlet of Diesel Particulate Filter	Cummins - 2871978 / 2894939 / 2894939RX / 4984053 / 4984576	\$309.99
904-6003	Nitrogen Oxide Sensor Inlet of Diesel Particulate Filter	Cummins - 2872297 / 2894945 / 2894945NX / 5293295 / 5293295NX / 5293295RX	\$309.99

# KIT MASTERS







Part Number	Description	Price
24-256	2-Speed GoldTop Rebuild Kit - 2 Pulley Bearings	\$783.99
24-256-1	2-Speed GoldTop Rebuild Kit - 1 Pulley Bearing	\$783.99
14-256	GoldTop Fan Clutch Rebuild Kit - 2.56" Fan Pilot, 2 Pulley Bearings	\$514.99
9500HP	9.5 Inch Fan Clutch Rebuild Kit	\$466.99
8901n	Kysor-Style Fan Clutch	\$370.99











# DataTrac<sup>®</sup> & DataTrac<sup>®</sup> Pro

STEMCO's electronic hubodometers are perfect for scheduling maintenance, determining lease charges, validating guarantees and calculating costs per mile.

What makes the DataTrac® Pro Hubodometer unique is its ability to be programmed by the STEMCO Programmer to meet the customer's specific tire revolutions requirements.



Part Number	Description	Price
600-9999	DataTrac Programmable Hubodometer	\$68.96

With a purchase of 24 Hubodometers, receive an extra 5% off AND a free programmer



# **INFLEXION™ 7-WAY ABS CABLES**



## A BETTER way to power heavy-duty trailers

- Used for powering heavy-duty trailers
- Solid, overmolded plugs encapsulated the terminals and wires in order to seal out water and other contaminants
- Machine crimped, brass terminals for maximum reliability and conductivity
- 4/12-2/10-1/8 cable made with high strand count copper conductors for high flexibility and high current carrying capacity
- Advanced ArticFlex<sup>™</sup> cable jacket formula allows for use in extreme cold temperatures as low as -85°F (-65°C)
- SAE J560 compliant
- Compatible with 670-72 (metal) and 670P-72 (polymer) mating sockets, and all other J560 primary sockets







## POINT SPRING & DRIVESHAFT CO. LOCATIONS

### NEVILLE ISLAND, PA

7309 Grand Avenue Neville Island, PA 15225 Ph: 412-264-6714 Fx: 412-264-6722 (800) 837-4713

### URG, PA

1967 Route 66 Greensburg, PA 15601 Ph: 724-834-0750 Fx: 724-834-8747 (800) 837-9713

### NEW CASTLE, PA

1001 Harbor Street New Castle, PA 16101 Ph: 724-658-9076 Fx: 724-658-8746 (800) 837-8713

## MEADVILLE, PA

11377 Mercer Pike Meadville, PA 16335 Ph: 814-724-7746 Fx: 814-724-7747 (800) 724-7751

### TROY, PA

68 Canton Street Troy, PA 16947 Ph: 570-297-5555 Fx: 570-297-5510 (855) 297-6380

## CLEARFIELD, PA

1729 Industrial Park Rd. P.O. Box 1206 Clearfield, PA 16830 Ph: 814-765-9684 Fx: 814-765-1577 (800) 252-3585

SARVER, PA 555 North Pike Road Sarver, PA 16055 Ph: 724-352-3340 Fx: 724-352-5311

FAIRMONT, WV 274 Van Kirk Drive Fairmont, WV 26554 Ph: 304-534-3306 Fx: 304-534-5079 (800) 837-1713

1849 South Sixth Street Suite 5 Indiana, PA 15701 Ph: 724-463-3710

AKRON, OH 1250 Triplett Blvd. Akron, OH 44306 Ph: 330-724-1111 Fx: 330-724-1895 (800) 826-0673



follow us on social media



